Maidenhead Education Committee.



MEDICAL INSPECTION OF SCHOOL CHILDREN.

NINTH ANNUAL REPORT

OF

School Medical Officer 1916.

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

TO THE CHAIRMAN AND MEMBERS

-OF THE-

EDUCATION COMMITTEE

-OF THE-

BOROUGH OF MAIDENHEAD.

LADIES AND GENTLEMEN,

In submitting to you the Ninth Annual Report of the School Medical Officer for the year ended 31st December, 1916, I take the opportunity of expressing my sincere thanks to the School Teachers, the School Attendance Officer, and the School Nurse for the valuable assistance which they have given me in carrying out the routine inspection at school and also in the several other branches of work which arise from it.

In former years it has been my custom to discuss separately the various conditions discovered in the course of these inspections, but now, owing to the exigences of war-time, I shall confine my remarks to a few general observations.

Approximately the same number of scholars were examined in the schools as in previous years, the grand total (including special cases) being 840. The various groups and classes to which these examinees belong, and the numbers inspected in each department at each school is shown in Table A, which also gives the corresponding figures for 1915.

In 53 instances a scholar due for inspection was absent for illness or some other cause, and in 7 cases the parents sent notice of their objection to the child being examined. The attendance of parents at these inspections was somewhat better than in previous years (62.9% as against 53.4%) the greater proportion appear with the young children of the "entrant" or five year old group and comparatively few with fourth or "leaver" group, whose ages are 12 years or over.

The next table (Table B) indicates the general physical and hygenic condition of the children examined. In the main, the percentages are similar to those recorded in previous years, but one or two exceptions are worthy of remark. It will be noticed for instance those marked as of "poor" nutrition, only amounted to 2.6% of total examined, while the corresponding figures for 1915 and the previous years were roughly double. Bad boots and insufficient clothing were somewhat more common, but there is a distinct improvement in the figure for ragged and dirty clothing.

Some improvement is also noticed in regard to nits and vermin in the hair as compared with the previous year, but as the worst cases are generally tidied up in anticipation of inspection the figures give a better rather than a worse complexion to the real state of affairs. The same remarks also apply to the cleanliness of the clothing and body.

With regard to physical defects which are set out in Table C, there is a diminution in the numbers suffering from excessive enlargement of the tonsils

and the presence of adenoids which obstruct the breathing passages, and this is largely accounted for by the number who have been surgically treated in previous years, either through the school clinic or privately at the Ray Mead Children's Hospital and elsewhere. The same is noticeable among those who have defective eyesight (6/18 or less in one or both eyes) and in direct relation with this observation, it should be noted that the proportion of scholars wearing glasses is correspondingly increased. Other defects do not call for any special remarks as they have already been discussed in the preceding reports. (See especially Report for 1914, pp 16-20.

The record of past illnesses, measles, whooping cough, etc., is given in Table D. This also has been frequently commented upon in the reports, and need not be further elaborated, as the figures are much the same from year to year, viz., 80% have had measles, 45% whooping cough, 25% to 30% chickenpox, 5-6% scarlet fever, diphtheria, and the same for other illness added together.

The various ailments which have affected school attendance during each month of the past year are recorded in the following list:—

JANUARY ... Influenza.

February. Coughs, Colds, and several cases of Whooping Cough.

March..... Coughs and Colds. In the Infants' Schools Measles and Whooping Cough.

APRIL Measles. Three Infant departments closed.

MAY..... Very little sickness.

June Sickness and Sore Throats.

July..... Very little sickness.

SEPTEMBER. Sore Throats.

October... Sore Throats, Colds, and Diarrhoea.

November. Coughs and Colds.

DECEMBER. Influenza and Swollen Glands.

The weekly Inspection Clinic for examination of scholars, whose fitness to attend school is in question, or who are under observation was open every Friday during school terms. The total number of cases dealt with amounted to 174, and the total attendances 492. The various ailments which they suffered from and other particulars are shown in Table E.

The practical results of school medical inspection. in regard to the more important defects are detailed in Table F which shows the nature of defect, the number of cases, and where treatment was obtained. At the end of 1915 there were 28 cases outstanding, and of these, 8 were treated during 1916, 3 left the district, and the remaining 17, either refused treatment or are still outstanding. Of the 103 cases in 1916, where printed notices were given calling attention to defects, 72 were treated up to end of March, 1917, in 10 cases no definite information as to result of the notice could be obtained, and 21 had either refused treatment or were waiting for a more favourble opportunity. In this connection it is much to be regretted that the services of the School Nurse were temporarily dispensed with


during the early part of the year, the more so as that action completely upset the arrangements for regular attendance at the treatment clinic and for systematic following up. Later on, a further difficulty in the way of securing treatment arose from the fact that several of the members of the staff of the Cottage Hospital, who were chiefly concerned with the treatment of school children, had entered on military service, so that it was not always possible to conduct the clinic on days appointed.

As in previous years, advantage has been taken of local charities, particularly the Mayor's fund, to assist deserving persons in the purchasing of spectacles, surgical boots and similar requirements, and also in supplying milk to be given at school to certain poorly nourished or weakly children.

Reviewing the year's work as a whole, it may be described as distinctly satisfactory, considering the dfficulties one has to contend with in war-time, and the fact that the annual grant from the Board of Education, in respect of School Medical Service, for the past year amounted to £47 18s. 4d., the highest yet received, shows that steady progress is being made.

I am,
Ladies and Gentlmen,
Yours faithfully,

School Medical Officer.



+

APPENDIX.



TABLE A.

Record of Inspections during 1916.

I	sioəqZ zəssO		۲۲ 	-	15	ح -	_	- 	- ~	<u></u>				
	Present Presen	12	10	3 67	09	200	25	با ا	, v.	∞	2	15	21	σ.
suoi	Object						1	1	-	1				
səə:	Absent	61.53	<u> </u>	1	<u>τ</u> Θ ⊢	۲	30.		- l -	_		C 3	ಬ	ಣ .
olars	Total	9 °C	15	- 10	71	46	43	2 -	36	<u>01</u>	e1 10	28	43	37
No.of Scholars	slriĐ	1-4	5 5	7.0	31	46	43		17. 00	9	25	28	-	
N 0.0	Boys	6 4	ರಾ		40	1		<u> </u>	4.9	9			43	37
dno.ı	D agA	HE	-i I	11. IV.	I	i I	IV.	H.	_ ⊣	Π.	II.	IV.	II.	IV.
	Place pspec	Classroom		6 P	6	Teacher's room	9.9		Classroom					3.9
auəu	пэтва	Infants	Infants	Girls	Infants	Girls	99	Boys	Infants	•	Girls	:	Boys	•
	всноог.	Albert Street C.E.	Bray C.E."	66 6	Boyn Hill C.E.	9.6	× ••	9.6	Church of England	(East Street)	•			99

25	20	9	01	+	49	48
20 8	26	31	23	∞ ¢⁄⁄	498	460
	m				1	14
	2		4 63		53	41
21 9	30 00 00 00 00 00 00 00 00 00 00 00 00 0	15 43	37	16	791	828
13	37		16	7	389	422
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		15	22	ිත න 	402	406
I.I.	II. IV.	II. IV.	H	II. IV.	1916	1915
Infants Spare room	Teacher's room	33	Cloak room	2 2 2	Totals	6.
Infants		Boys	Infants	Mixed ",		
reet)	(Gordon Road)	6 P	St. Mary's R.C.	66 66		

SUMMARY.

Odd ages are included in the main groups.

781-4-1	Lotal.	402	389	791	
1 4	yis. 0 yis. 4 yis. 3 yis. 10 yis. 11 yis. 12 yis. 13 yis. 14 yis. 100ai.				
1.0	15 yrs.		က	ಣ	
110	12 yrs.	130	121	251	
	11 yrs.	1		-	
010	10 yrs.	1		ļ	
	g yrs.			П	
0 1	o yrs.	136	147	283	
	, yrs.	က	က	9	
1 0	o yrs.	15	16	31	
))	o yrs.	118	26	215	
7	# yrs. o y				
		Boys	Girls	Totals	

TABLE B.

Physical and Hygienic Conditions.

d Condition of Head.	Footwear. of Body.	Average Below Average. Poor. Insufficient. Bagged or Dirty. Verminous. Verminous. Verminous. Verminous.	9 1 — — 1 8 — 1 6 — — 16 — — 16 — — 16 — — 16 — — — 16 — <th>6 2 3 3 7 38 5</th>	6 2 3 3 7 38 5
		Clean.		30
g and	ear.		111	1
thing	ootw	Ragged or Dirty.		೧೦
Clo	H	Insufficient.		20
			- - -	2
ition			11-20 0 85-4 8 0 1 8 6	9
Nutr		Average	0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	24
		Good.	00000000000000000000000000000000000000	11
		Number Inspected.	16 17 17 17 17 18 18 18 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	43
}	·d	norb əgA	1. H.	II.
		рератітепt	Infants Infants Girls Infants Girls Boys Infants ,, Girls	Boys
		SCHOOL.	Albert Street C.E. Bray C.E Boyn Hill C.E " " " " " " " " " " " " " " " " "	. 4

- 61 62 -	19	2.4	1.6
	9	0.8	2.3
21 30 30 37 37 37 37 37 37 37 30 30 30 30 30 30 30 30 30 30 30 30 30	992	8.96	96.1
	4	1.0	3.0
2 10 10 10 10	145	37.3	40.8
10 21 26 26 26 26 6	240	61.6	56.5
	C3	0.5	9.1
1 -4100000	63	15.7	17.2
T	337	83.8	8.08
21 - 21 4 4 6 2 2	69	8.7	6.4
1 2 1	19	5.4	3.6
1	16	2.0	1.4
	21	5.6	6.9
	119	15.0	15.2
$\begin{array}{c} -0.00 \\$	387	48.9	46.4
8 to 011 10 4 to 9	264	33.4	32.5
21 .9 .9 .9 .15 .43 .37 .14 .16 .20	791		
1			
Council (King Street) Infants I. (Gordon Road) Girls II. Boys II. St. Mary's R.C. Infants II. II. II. II. II. II. II. II. II. II. II. IV. IV.			
	•	*	•
Stree G.	•	1916	1915
Road Road	S	Percentages 1916	
zil (l' irdon '' '' arry' '' '' '' ''	Totals	enta	6
Ounc (Gc	<u></u>	ere	
St C		1	

TABLE C.

Physical and Other Defects.

Other diseases or defects.	
Mentally dull.	
Lung Affections	
Heart Affections.	
Defective Speech.	
Defective Hearing.	
Ear disease.	
Wearing glasses.	
Defective Bye- sight (6/18 or less)	
External Eye	
Enlarged Glands in Neck.	0 1 0 4 0 1 0 0 0 1
Habitual Mouth- breathing.	
Disease or defect of Nose.	
Adenoids present.	
One or both tonsils enlarged.	4812 944410841 808
Four or more	01 01 02 11 02 11 02 11 02 02 02 02 02 02 02 02 02 02 02 02 02
Teeth all sound.	- 2 0 ro & & e - ro - 1 co & 4 - ro
Total number inspected.	16 16 17 17 17 17 17 17 17 17 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19
Age Group.	
Departments.	Infants Infants Girls Infants Girls Boys Infants Girls " Boys " Girls
всноог.	Albert Street C.E. Bray C.E Boyn Hill C.E "" "" "" Church of England (East Street) "" ""

	T. P. L.		1.0	G	10	t				6				-		-				
Council (King Street)	inrants	-i	77	N	770	_ ((n			'	_	Ì	-			'	Tw.
	•		ဘ		9	2)	1	1	31	i		1	_			27			_	1n
(Gordon Road)	Girls	II.	3.1	_	19	9	1	}	~		_	SI		-	1		j	1		10
		IV.	37	12	<u></u>	10	07	1	3	_	1	10	67						_	2p
90 (Boys	II.	15	Н	10	41	67	67	01				_		1	,			-	$2\tilde{q}$
n (IV.	43	10	00	9	67		က	_	63	ಣ	ಣ	\vdash	-	0.7				1r
St. Marv's B.C.	Infants	i.	37	2	15	6	က	_	ಣ	∞	31	++				_		-		48
	:	II.	14		<u></u>	4			01		1	1		1	1	_		-		
86	Mixed	II.	16	07	∞	က	_	ì	_	-			1	-					1	-
,, IV. 20	66	IV.	20	4	4	က	-			_		-		1		1			7	1
			Ì														i		1	
Totals —		(-	791 107		350	130	34	16	46	က	17	က္	18	14	12	33	<u></u>	∞	16	46
Percentages, 1916				13.5 4	44.2	16.3	4.3	2.0	6.9	4.8	2.1	4.2	2.3	1.7	1.5	4.2	.75	1.0	2.0	5.9
,, 1915				16.8 4	43.5	19.8	8.9	2.7	5.4	15.1	2.4	5.1	 	1.3	1.7	3.6	$ \dot{\infty} $	1.2	1.2	4.7

c 1—Worms. 1—Impetigo. 1—Enuresis. 1—Infantile Paralysis. 3—Rickets. 1—Tuberculous Glands in Neck. d 1—Rickets. 1—Ringworm of Scalp. 1—Rupture. 1—Harelip and Cleft Palate. e 1—Deformity left hip. g 1—Very Emotional. 1—Rickets. 1—Alopæcia. h 1—Harelip. 1 1—Rupture. 1—Rickets. m1-Deformed Foot. n1-Rickets. o1-Eczema. p1-Psoriasis. 1-Rheumatism. q1-Very Emotional. k 2--Rickets. b 1—Infantile Paralysis. 1—Cleft Palate. j 1—Impetigo. 1—Minor Epilepsy. 1—Club Foot. a 1—Rickets. 1—Hydrocele. ‡ Squint. 1—Tuberculous Glands. 1—Enuresis. † "Thick Speech," due to enlarged Tonsils. f 1—Eczema, 1—Depressed Sternum. i 1—Rickets. 1—Enuresis.

s 2—Rickets. 1—Enuresis. 1—Rupture. 1—Rickets. r 1—Slight Spinal Curvature.

* Indistinct Articulation.

TABLE D.

Record of past Illnesses.

Other Diseases.	10	1	110	1c	1 <i>d</i>	36	2f	2g	4h	3i		5%	21	1m	3n	20	dl
Hingworm.		1	1				1	H	21	-	-	1	1			1	
Tonsillitis and Sore Throat.						-				1	1		1		1	1	
Chorea (St. Vitus' Dance)						1		-	1	İ	1	1			-		1
Rheumatism.			İ	-	}	}	-	1	-	1	1	1		1		-	
.eoibanat		1	1	1			-	1.	<u></u>	}			1			-	
Croup.		1	-		1		j	ì	1		1	-			1		
.sdmnM		-		_	1	1	_	N	7	1	1	_	1	-	1	Ø	
Affections of Lungs.	-	\vdash		1			Ø	1			4	∞	ಣ	-	4	1	20
Diphtheria.		1	-	01	-		į	3	-	1	4		1	SJ.	Ø	-	က
Scarlet Fever.				1		N	-	\vdash		1	9	9	\vdash	-	4	4	70
Сһіскеп Рох.	37	-	4	1	 1	91	1	15	16	77	11	10	4	4	1	13	6
Whooping Cough.	4	00	7	~	_	24	19	20	24	13	21	30	1	14	13	13	23
Measles.	6	∞	[~	15	4	44	29	35	37	16	36	53	10	22	23	36	33
No Illness.	<u>်</u> က		-		1	10			1	1	Ø	∞		0.1	1		
Number recorded.	141	00	15	17	70	64	31	37	41	16	40	79	П	25	56	37	98
Age Group.	ij	II.	ij	II.	IV.	H	II.	II.	IV.	II.	IV.	H	Ï.	II.	IV.	II.	IV.
Department.	Infants		66		Girls	Infants		Girls	:	Boys	, :	Infants	:	Girls	•	Boys	, ,
SCHOOL,	Albert Street C.EInfants		Bray C.E		66	Boyn Hill C.E.	•	. 66	66	60		Church of England			66	66	66

$\frac{1}{2}$ $\frac{1}$	49	6.9	5 0
	4	0.2	0.1
1 8	70	2.0	0.3
-	23	0.3	0.3
	63	0.3	0.8
	4	0.2	1.0
	50	0.7	0.8
1 1	1 69	1	9.1
70-100 04-01 01 01 01 01 01 01 01 01 01 01 01 01 0	54	7.5	8
10 4 10 1 10	36	5.0	5.5
	59	8.2	9.2
334 25 23 33	195	27.0	29.0
6. 4 9 1 2 8 2 5 4 1 1 8 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	365	9.09	46.0 29.0
12 25 25 25 25 25 25 25 17 17 17 17 17 17 17 17 17 17 17 17 17	589	81.6	82.0
2 2 1 2 2	52	7.2	8 6.2
20 00 00 00 00 00 00 00 00 00 00 00 00 0	722		763
Infants Girls Boys Infants Mixed ",			
Council (King Street) (Gordon Road) " " St. Mary's R.C. "	_ Totals	Percentages, 1916	,, 1915

1—Tuberculous Glands. f 2—Diarrhoea. g 1—Purpura. 1—Concussion of Brain. h 1—Impetigo. l 1—Abscess. m 1—Infantile Paralysis. n 2—Eczema. 1—Abscess. o 1—Appendicitis. 1—Nephritis. p 1—Abscess. q 1—Rupture. r 1—Scalds. 1—Hip disease. s 2—Appendicitis. 1—Tuberculous Glands. 1—Fits. 1—Mastoid Abscess. k 2—Consumptive Bowels. 1—Fits. 1—Severe Burns. 1—Dysentery. t 1—Broken Ribs (accident). u 1—" Liver trouble" 1—Abscess. v 1—Convulsions. 1—Dysentery, a 1—Fits. b 1—Paralysis. c 1—Broken Arm. d 1—Appendicitis. e 1—Malaria. 1—Empyema. 1—Corneal Ulcers. 1—Shingles. 1—Hip disease. il—Influenza. 1—Fits. 1—Meningitis. jl—Influenza. w 1—Ringworm of Scalp. 1—Broken Thigh. x 1—German Measles. 1—Inflammation of Eyes.

TABLE E.

Cases dealt with at Inspection Clinic, 1916.

Other Defects and Diseases.	3a 3b 1c 1d 2e	10	24
No definite Disease or Defect.		10	7
Verminous Heads, etc.	- - - -	16	53
Teeth (decayed).		∞	4
Sore Throat, Tonsils, etc.		6	9
Skin Diseases	63 63	9	
Ringworm of Skin.	1 4 62 66	10	∞
Ringworm of Scalp.	8 9 8 1 1 1 1 1 1 1 1 1	21	53
Itch (Seidss)	4 10 00 00 1 -00	19	7
Glands Swollen.		က	
Eyesight defective.		∞	00
.9ssəsib əyA	01 02	6	1-
Ear disease.		4	6
		07	
Сріскеп Рох.	4 1 1	9	9
A bscesses, etc.	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	30	30
Number of Scholars examined.	85 27 28 4 4 4 5 5 5 6 8 8 5 5 5 5 5 5 5 5 5 5 5 5 5 5	174	160
Department.	Infants Mixed Infants Girls Boys Infants Girls Boys Infants Girls Boys Infants Girls Boys Infants	A	
SCHOOL.	Albert Street C.E. Bray C.E. Boyn Hill C.E. Church of England (East Street) Council (King Street) (Gordon Road) St. Mary's R.C. ".	Totals 1916	., 1915

1—Rupture. 1—Enuresis. e 2—Injuries. b 1—Ozœna. d 1—Nasal Polypi. a 2—Anæmia. 1—Alopæcia. c 1—Debility.

TABLE F.

Showing results of "Notice of Defect"

given to parents.

	Case	00	occurring	ring ir	in 1916 and	in 1916 and treated up to	rted up	0 2	Cases outstanding from 1915 and	utstanč	ding fro	om 1915 ar March 191	and 1917
,			5		TATEGOT	Where	Treated.				3	(10,011)	
Nature of Defect.	Number of Votices given.	Cases Treated.	Cases not Treated.	No record (lef school, &c.)	Own Doctor.	T .	Y	London Hospitals.	Datas'Il sasaO	Cases not Treated.	Treated by own Doctor.	At Cottage Hospital.	Left District.
Adenoids and Tonsils Deafness Ear Disease Eye Disease (external) Eyesight Defective Eyesight Re-examination Nasal Polypi, etc. Teeth Decayed Other Totals for 1916	36 22 12 12 13 103	22 4 1 81 81 82 62 7	4 50 88 50 1 12	ŭ 1 4 01		171 22 34 14 8 1 1 49	9 1 2 2 1 1 1 2 2	- - - -	- - - - - - - - - -	9 2 2 4 71		- - - - - - - -	H
1915	94	99	18	10	က	28	67	63	'				

